

BLISS INTIMATE OIL

Batch Specific Information

Product Name	Bliss Intimate Oil
Product Description	INTIMATE OIL WITH 4.2mg/ML Cannabinoids
Lot Number	179301
Manufactured	May 2023

Formulation Lot 23AHSS124

Raw Ingredients

Ingredient	Manufacturer	Lot Number
ALMOND OIL	INTEGRITY INGREDIENTS	691C2310
SHEA OIL	AAK	0002276101
COCONUT OIL	INTEGRITY INGREDIENTS	9610
COCONUT OIL	INTEGRITY INGREDIENTS	10020
COCOA SEED BUTTER	INTEGRITY INGREDIENTS	801404
FULL SPECTRUM HEMP EXTRACT	ECOFIBRE	CKS-LEX18-16
PEPPERMINT OIL	INTEGRITY INGREDIENTS	FL2990
TOCOPHEROL	BASF	0023153351
BLACK PEPPER OIL	INTEGRITY INGREDIENTS	33952
FRAGRANCE	ORCHIDIA	1133131

Third Party Testing Results

Test	Method	Laboratory	Result
Cannabinoid Profile (Attached)	MF12D012; Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)	Anresco Laboratories	Accepted
Residual Solvent Screen	USP OVI<467>; Instrument: Gas Chromatography Mass Spectrometry (GC/MS)	Anresco Laboratories	Accepted
Pesticide Residue Screen	MF21P030; Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)	Anresco Laboratories	Accepted
Heavy Metal Screen	MF 24E020; Instrument: ICP-MS	Anresco Laboratories	Accepted
Microbiological Screen	AOAC 2016.01/FDA BAM/FDA BAM-ECC Agar	Anresco Laboratories	Accepted

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured by Ananda Health, Inc.
PO Box 399 Georgetown, KY 40324

May 10, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 544287
Sample No. 1159443

SAMPLE INFORMATION


Description Bliss
Lot Number 23AHSS124
Category Non-Inhalable Edible
Received May 05, 2023

ANALYTICAL RESULTS

Analysis Cannabinoid Profile
Instrument Liquid Chromatography Diode Array Detector (LC-DAD)
Method MF-CHEM-15
Analysis Date May 05, 2023 to May 10, 2023

Cannabinoid	mg/g	%	mg/ml
Δ8-THC	ND	ND	ND
Δ9-THC	<LOQ	<LOQ	<LOQ
Δ9-THCA	ND	ND	ND
THCV	ND	ND	ND
THCVA	ND	ND	ND
CBD	4.69	0.469	4.30
CBDA	ND	ND	ND
CBC	<LOQ	<LOQ	<LOQ
CBCA	ND	ND	ND
CBDV	ND	ND	ND
CBG	ND	ND	ND
CBGA	ND	ND	ND
CBN	ND	ND	ND
Total THC	<LOQ	<LOQ	<LOQ
Total CBD	4.69	0.469	4.30
Total Cannabinoids	4.69	0.469	4.30
Sum of Cannabinoids	4.69	0.469	4.30
g/ml Conversion Factor	0.9164		

Reported by
Anresco, Inc.



Eric Tam
Senior Chemist

May 10, 2023

Limit of Detection: 0.067 mg/g
Limit of Quantitation: 0.2 mg/g
ND = None Detected
<LOQ = Below Limit of Quantitation
LOD = Limit of Detection
Total THC = Δ9-THC + (0.877 * Δ9-THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + (0.877 * Σ (addic cannabinoids))

If there are any questions with this report, please contact "compliance@anresco.com".

May 10, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 544287
Sample No. 1159443

SAMPLE INFORMATION

Description: Bliss
Lot Number: 23AHSS124
Category: Non-Inhalable Edible
Received: May 05, 2023

ANALYTICAL RESULTS

Analysis: Heavy Metals Pass
Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)
Method: MF-CHEM-16
Analysis Date: May 05, 2023 to May 10, 2023

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

Reported by
Anresco, Inc.

ND = None Detected

Eric Tam
Senior Chemist

May 10, 2023

If there are any questions with this report, please contact "compliance@anresco.com".

May 12, 2023

ANANDA HEMP
PO BOX 399
Georgetown, KY 40324

Order No. 544287
Sample No. 1159443

SAMPLE INFORMATION

Description Bliss
Lot Number 23AHSS124
Received May 05, 2023

ANALYTICAL RESULTS

Analysis Date May 05, 2023 to May 12, 2023

Findings	Analysis	Results	Method
	Total Plate Count	<10 cfu/g	USP 61
	Yeast	<10 cfu/g	USP 61
	Mold	<10 cfu/g	USP 61
	Bile Tolerant Gram Negative	Negative /1g	USP 62
	E. coli	Negative /1g	USP 62
	Salmonella	Negative /10g	USP 62
	Pseudomonas	Negative /1g	USP 62
	Staphylococcus	Negative /1g	USP 62

Reported by
Anresco, Inc.

Laila Lam
Laila Lam
Microbiologist



If there are any questions with this report, please contact "compliance@anresco.com".

page 1 of 1

May 10, 2023

PO BOX 399
 Georgetown, KY 40324

Order No. 544287
 Sample No. 1159443

SAMPLE INFORMATION

Description Bliss
 Lot Number 23AHSS124
 Category Non-Inhalable Edible
 Received May 05, 2023

ANALYTICAL RESULTS

Analysis Pesticides USP - 561 Pass
 Instrument GC & LC MS/MS
 Method USP 561
 Analysis Date May 05, 2023 to May 10, 2023

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Acephate	0.02/0.05	ND	0.1	Pass
Alachlor	0.02/0.05	ND	0.05	Pass
Aldrin	0.02/0.05	ND	0.05	Pass
Azinphos-ethyl	0.03/0.1	ND	0.1	Pass
Azinphos-methyl	0.17/0.5	ND	1	Pass
BHC-alpha (benzene hexachloride)	0.03/0.1	ND	0.3	Pass
BHC-beta	0.03/0.1	ND	0.3	Pass
BHC-delta	0.03/0.1	ND	0.3	Pass
BHC-gamma (Lindane, gamma HCH)	0.03/0.1	ND	0.6	Pass
Bromophos-ethyl	0.02/0.05	ND	0.05	Pass
Bromophos-Methyl	0.02/0.05	ND	0.05	Pass
Bromopropylate	0.08/0.25	ND	3	Pass
Chlordane-cis	0.02/0.05	ND	0.05	Pass
Chlordane-oxy	0.02/0.05	ND	0.05	Pass
Chlordane-trans	0.02/0.05	ND	0.05	Pass
Chlorfenvinphos	0.08/0.25	ND	0.5	Pass
Chlorpyrifos	0.02/0.05	ND	0.2	Pass
Chlorpyrifos-methyl	0.03/0.1	ND	0.1	Pass
Cyfluthrin	0.03/0.1	ND	0.1	Pass
Cyhalothrin-lambda	0.17/0.5	ND	1	Pass
Cypermethrin	0.17/0.5	ND	1	Pass
DDD-o,p'	0.03/0.1	ND	1	Pass
DDD-p,p'	0.03/0.1	ND	1	Pass
DDE-o,p'	0.03/0.1	ND	1	Pass
DDE-p,p'	0.03/0.1	ND	1	Pass
DDT-o,p'	0.03/0.1	ND	1	Pass
DDT-p,p'	0.03/0.1	ND	1	Pass
Deltamethrin	0.17/0.5	ND	0.5	Pass
Diazinon	0.03/0.1	ND	0.5	Pass
Dichlofluanid	0.08/0.25	ND	0.1	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Dichlorvos	0.03/0.1	ND	1	Pass
Dicofol	0.17/0.5	ND	0.5	Pass
Dieldrin	0.02/0.05	ND	0.05	Pass
Dimethoate	0.03/0.1	ND	0.1	Pass
Endosulfan I (alpha)	0.08/0.25	ND	3	Pass
Endosulfan II (beta)	0.08/0.25	ND	3	Pass
Endosulfan sulfate	0.08/0.25	ND	3	Pass
Endrin	0.02/0.05	ND	0.05	Pass
Ethion	0.17/0.5	ND	2	Pass
Etrimfos	0.02/0.05	ND	0.05	Pass
Fenchlorphos (Ronnel)	0.03/0.1	ND	0.1	Pass
Fenitrothion	0.17/0.5	ND	0.5	Pass
Fenpropathrin	0.01/0.03	ND	0.03	Pass
Fensulfathion	0.02/0.05	ND	0.05	Pass
Fenthion	0.02/0.05	ND	0.05	Pass
Fenvalerate	0.08/0.25	ND	1.5	Pass
Flucythrinate	0.02/0.05	ND	0.05	Pass
Fluvalinate-tau	0.02/0.05	ND	0.05	Pass
Fonofos	0.02/0.05	ND	0.05	Pass
Heptachlor	0.02/0.05	ND	0.05	Pass
Heptachlor endo-epoxide	0.02/0.05	ND	0.05	Pass
Heptachlor exo-epoxide	0.02/0.05	ND	0.05	Pass
Hexachlorobenzene	0.03/0.1	ND	0.1	Pass
Malaoxon (Malathion-oxon)	0.08/0.25	ND	1	Pass
Malathion	0.08/0.25	ND	1	Pass
Mecarbam	0.02/0.05	ND	0.05	Pass
Methacrifos	0.02/0.05	ND	0.05	Pass
Methamidophos	0.02/0.05	ND	0.05	Pass
Methidathion	0.07/0.2	ND	0.2	Pass
Methoxychlor, o,p'-	0.02/0.05	ND	0.05	Pass
Methoxychlor, p,p'-	0.02/0.05	ND	0.05	Pass
Mirex	0.003/0.01	ND	0.01	Pass
Monocrotophos	0.03/0.1	ND	0.1	Pass
Octachlorodipropyl ether (S-421)	0.01/0.02	ND	0.02	Pass
Parathion	0.08/0.25	ND	0.5	Pass
Parathion Methyl	0.03/0.1	ND	0.2	Pass
Pendimethalin	0.03/0.1	ND	0.1	Pass
Pentachloroaniline	0.17/0.5	ND	1	Pass
Pentachloroanisole	0.003/0.01	ND	0.01	Pass
Pentachloronitrobenzene	0.03/0.1	ND	1	Pass
Pentachloroanisole	0.03/0.1	ND	1	Pass
Permethrins	0.17/0.5	ND	1	Pass
Phosalone	0.03/0.1	ND	0.1	Pass
Phosmet	0.02/0.05	ND	0.05	Pass
Piperonyl Butoxide	0.03/0.1	ND	3	Pass
Pirimiphos-ethyl	0.02/0.05	ND	0.05	Pass
Pirimiphos-methyl	0.08/0.25	ND	4	Pass
Procyimdone	0.03/0.1	ND	0.1	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Profenofos	0.03/0.1	ND	0.1	Pass
Prothiofos	0.02/0.05	ND	0.05	Pass
Pyrethrins	0.17/0.5	ND	3	Pass
Quinalphos	0.02/0.05	ND	0.05	Pass
Tecnazene	0.02/0.05	ND	0.05	Pass
Tetradifon	0.08/0.25	ND	0.3	Pass
Vinclozolin	0.08/0.25	ND	0.4	Pass

Reported by
Anresco, Inc.

ND = None Detected

Blenda Cong
Analyst II

May 10, 2023

If there are any questions with this report, please contact "compliance@anresco.com".

May 10, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 544287
Sample No. 1159443

SAMPLE INFORMATION

Description Bliss
Lot Number 23AHSS124
Category Non-Inhalable Edible
Received May 05, 2023
Serving Size (g) 1

ANALYTICAL RESULTS

Analysis Residual Solvent Screen Pass
Method USP <467>
Analysis Date May 05, 2023 to May 10, 2023

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	5	Pass
Acetone	67/200	ND	-	-
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	2	Pass
n-Butane	67/200	ND	-	-
Chloroform	0.2/0.5	ND	60	Pass
Ethanol	67/200	ND	-	-
Ethyl acetate	67/200	ND	-	-
Ethyl ether	67/200	ND	-	-
Ethylene oxide	0.2/0.5	ND	10	Pass
n-Heptane	67/200	ND	-	-
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	-	-
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	600	Pass
n-Pentane	67/200	ND	-	-
Propane	67/200	ND	-	-
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	80	Pass

Reported by
Anresco, Inc.

ND = None Detected


Jordean Vargas
Analyst



May 10, 2023

If there are any questions with this report, please contact "compliance@anresco.com".

May 10, 2023

PO BOX 399
Georgetown, KY 40324

Order No. 544287
Sample No. 1159443

SAMPLE INFORMATION

Description Bliss
Lot Number 23AHSS124
Category Non-Inhalable Edible
Received May 05, 2023

ANALYTICAL RESULTS

Analysis Mycotoxins Screen Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF-CHEM-13
Analysis Date May 05, 2023 to May 10, 2023

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

Reported by
Anresco, Inc.

ND = None Detected




Blenda Cong
Analyst II

May 10, 2023

If there are any questions with this report, please contact "compliance@anresco.com".